



ORACING



Company	
Dealer	
Date	
Purchase Order Nº	

CUSTOMER DETAILS:



NAME:	SURNAME:
ADDRESS:	TYPE OF DISABILITY:
POST CODE:	COUNTRY:
PHONE:	E-MAIL:

ID CARD NR:

SERIAL NUMBER:


DATE:



SERIAL NUMBER:

DATE:

MEASUREMENTS (1/2):



A CENTRE OF CRANK AXLE TO TOP OF BACKREST (mm)

E SEAT BOTTOM TO FORK SUPPORT (mm)

F TOP OF BACKREST TO THE GROUND (mm)

G WHEEL AXLE CENTRE TO FOOTREST INSIDE (mm)

H KNEE GUARD POSITION (mm)

B CENTRE OF CRANK AXLE TO GROUND (mm)

460	470	480	490	500	510	520	530	540	550	560	570	580	590	600	CUSTOM
															mm

C DISTANCE BETWEEN WHEELS AXLES (mm)

1500	1520	1540	1570	1600	1640	CUSTOM
						mm


D CENTRE OF CRANK AXLE TO FORK SUPPORT (mm)

60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	CUSTOM
															mm

SERIAL NUMBER:

DATE:

MEASUREMENTS (2/2):



Z SEAT WIDTH:

Y1 SHOE WIDTH:

Y2.R RIGHT FOOTREST LENGTH:

Y2.L LEFT FOOTREST LENGTH:

W REAR AXLE WIDTH ☐ 550mm ☐ 600mm


X WHEEL CAMBER: 1.5°

BOTTOM BRACKET OPTIONS:


B1 ADJUSTABLE BOTTOM BRACKET ☐




B2 BOTTOM BRACKET POSITIONS ☐




+20 ☐




+10 ☐



STD
0 ☒



-10 ☐



-20 ☐

SERIAL NUMBER:

DATE:


SEAT WIDTH:

C1 STANDARD SEAT WIDTH STD ☐

C2 CUSTOM SEAT WIDTH ☐

300	320	340	360	380	400	420	440	460

CRANK ARMS:



D1 STANDARD CRANK ARMS STD ☐


W WIDTH _____ mm

L LENGTH _____ mm



D2 SPECIAL CRANK ARMS ☐

FOOTREST:

E1 INDIVIDUAL FOOTREST STD ☐



E2 RACING FOOTREST STD ☐



CARBON EXTRAS:

F1 CARBON CHAINGUARD STD ☐

F2 CARBON KNEE PROTECTORS ☐

SERIAL NUMBER:

DATE:

OPTION PACKAGES:

BASIC

STD

☐

FRONT WHEEL: MAVIC OPEN PRO 650 - C (CONTINENTAL TYRE)

REAR WHEELS: ORACING HANDMADE 20 - 406 (SCHWALBE DURANO TYRES) (25 mm AXLE)

GEARS: SHIMANO 105 - 11 DUAL LEVER (MOUNTED ON FORK) ☐
SHIMANO XT - 11 (MOUNTED ON RIGHT HANDLE) ☐

CHAINRINGS: 34 / 50

BRAKES: SHIMANO 105

CASSETTE: SHIMANO XT 11 - 40 ☐
SHIMANO XT 11 - 46 ☐

PRO

☐

FRONT WHEEL: MAVIC OPEN PRO 650 - C (CONTINENTAL TYRE)

REAR WHEELS: ORACING HANDMADE 20 - 406 (SCHWALBE DURANO TYRES) (25 mm AXLE)

GEARS: SHIMANO ULTEGRA 11v (MOUNTED ON FORK) ☐
SHIMANO XTR - 11 (MOUNTED ON HANDLE BAR) ☐

CHAINRINGS: 34 / 50

BRAKES: SHIMANO ULTEGRA

CASSETTE: SHIMANO XT 11 - 40 ☐
SHIMANO XT 11 - 46 ☐

SERIAL NUMBER:

DATE:

PRO+



FRONT WHEEL: HAND MADE CARBON FIBER WHEEL 650C 24 SPOKES (CONTINENTAL TYRE)

REAR WHEELS: HAND MADE CARBON FIBER WHEEL 650C 24 SPOKES (SCHWALBE DURANO TYRES)

GEARS: SHIMANO ULTEGRA Di2 (ELECTRIC SYSTEM) (ONLY GEARS, XTR DERRAILLEUR)

CHAINRINGS: 34 / 50

BRAKES: SHIMANO DURACE

CASSETTE: SHIMANO XTR 11 - 40

FINISHING:

S1 POLISHED FRAME




S2 POWDER COATING RAL _____



S3 ANODIZED KIT



(CRANKS, PUSH HANDLES, FOOTREST AND DRAFTING BAR)



SERIAL NUMBER:

DATE:

ACCESORIES:

- | | | |
|---|-----|--------------------------|
| T1 SEAT-BACK CUSHION AND COVER 20mm HEIGHT | STD | ☐ |
| T2 STIMULITE SEAT CUSHION 25mm HEIGHT | | ☐ |
| T3 LIGHTS KIT: RECHARGABLE FRONT LIGHT AND BATTERY REAR | | ☐ |
| T4 BELL | STD | ☐ |
| T5 SAFETY FLAG HOLDER | STD | ☐ |
| T6 MIRROR MOUNTED ON FRAME | | ☐ |
| T7 SPEEDOMETER WITH CADENCE FACILITY (WIRELESS) | | ☐ |
| T8 WATER BOTTLE HOLDER MOUNTED ON REAR OF BACKREST | | ☐ |
| T9 LAP BELT ☐ NARROW ☐ MEDIUM ☐ WIDE | | ☐ |
| T10 LEG GUARD WITHOUT STRAPS, FORK MOUNTED ☐ LEFT ☐ RIGHT | | ☐ |
| T11 ULTRALIGHT ALUMINIUM AND TITANIUM SCREW AND BOLT SET | | ☐ |
| T12 WHEEL AXLE ADAPTOR 25mm TO 1/2" (PAIR) | | ☐ |
| T13 WHEEL AXLE ADAPTOR 25mm TO 1/2" UNF 20G FOR CORIMA (PAIR) | | ☐ |
| T14 WHEEL AXLE ADAPTOR 25mm TO 12mm (PAIR) | | ☐ |
| T15 ALBER ELECTRIC ENGINE KIT | | ☐ |

